
Sustainable Sample Box Cork Wall Tile







1. Try Samples for 10 Days

Hi, I'm Derek, your Eco-Advisor here at Green Building Supply.

We believe samples are a key part of your decision making process, so we are pleased to offer you a larger selection than ever before.

You've got 10 days from the day you receive them, to try out the samples in your home and find your favorites.

Try Our Room Visualizer - it's magic

People love using our new room visualizer to see how the products will look in your room. Check it out - it's easy to do from any iPhone or Android device.



If you have any questions, please don't hesitate to contact me. Email me at derek@greenbuildingsupply.com
Call or Text my direct line at 641-323-8990.

/esole


Sincerely,




Visualize Your Room



1. Point your camera at the QR code or visit the product page online.




2. Tap the notification once the QR code is scanned.




3. Your phone will take you to the product page.

Tap this button

See It In My Room



4. Scroll down and tap "See It In My Room" below the photo.



5. Tap "Take Photo of My Room"



6. Take a photo of your room or use an existing photo.



866.421.7168

2. Place Your Order



We would like to give you an additional \$25 off your purchase of 250 square feet or more.

Your Coupon Code is Your Order Number

Find your order number on your packing slip, or in your email. You will use your order number as your coupon code.


Order Online

Enter your order number as your coupon code on the payment page of checkout.

Order by Phone

Give your Eco Advisor your coupon code over the phone.





3. Return the Samples

Please box up all the samples. You may keep all the literature.

1. Tape the box closed

with the provided strip of kraft brown shipping tape. Run the shiny side under the sink for a moment and then apply it to the box.

- 2. Apply the pre-paid shipping label ON TOP of the existing label so that the old label is completely covered up.
- 3. Drop it off at your local shipping location so somebody else can enjoy it. Please return to the location shown on your return shipping label. If the label says, USPS, then bring to the post office. If it says, UPS, then bring to a UPS Store, etc.



Thank You!



Climate Positive Wall Covering

With respect for nature and wellbeing as its core values, the manufacturer, Amorim, has reached a remarkable carbon negative footprint in its entire process, helping to reduce the Global Warming Potential.



Environment

No trees are damaged or cut during harvesting; The cork oak forest retains 5x more CO2 from the atmosphere helping to reduce Global Warming Potential (GWP).



Close distances

Factories are located within few kms from the forests.



Economy

The cork oak forest creates jobs in the cork industry and in other related industries.



Reincorporation of waste

Any cork waste and surplus is collected, granulated and reincorporated in the production process, originating a lower carbon footprint.



Social Impact

The cork industry promotes settlement in areas at risk of desertification; Cork harvesting is an activity that crosses generations.




Biomass

The dust from the production lines is vacuumed and conducted to silos, where it is burned to generate energy through biomass. 65% of our energy comes from cork dust.




Unique Walls with the Comfort of Cork.

Transform your space with Cork Wall Tile — where sustainability meets style! Made from renewable cork, this eco-friendly solution offers warmth, beauty, and peace of mind. Say goodbye to chilly rooms and noisy neighbors with its excellent thermal insulation and soundproofing properties. With six stunning colors to choose from, it's easy to find the perfect match for your home. It's perfect for rec rooms, living rooms, kitchens, or bedrooms, upstairs or downstairs, and easy to install with our non-toxic adhesive.



Certifications

Amorim has several certifications showing that no harmful particles are present in their products living up to their promise to provide wellbeing in every room.



Add A Wow Factor to Any Room.

Cork Wall Tile can transform any room into a unique space by adding beauty, texture and warmth. Plus it's easy to install yourself!



Color: Hawai White



Indoor Air Quality

Compliance with the strictest indoor air quality standards after being tested for over 2,000 potential chemicals.



Quiet

Naturally deadens sounds.



Optimal Temperature

Cork helps add thermal insulation assuring a warmer and more comfortable environment.




Durable

Resists water and hides small scuffs and scratches well.







Cork Wall Tile Bali

131123

Species Cork

Design Solid 1-Strip

Dimensions 23.33" x 11.66" x 0.125"

Installation Glue with Roller or Trowel

Joint Square Edge

Square Feet / Pack 21.31

Finish Waxed

Recommended Glue Wakol D 3540





Free Shipping for 250 + SF



Place your order at: GreenBuildingSupply.com Search for "131123"

Visualize This On Your Wall - Tap Button On Website





131122

Species Cork

Design **Solid 1-Strip**

Dimensions 23.33" x 11.66" x 0.125"

Installation Glue with Roller or Trowel

> **Square Edge Joint**

Square Feet / Pack 21.31

> Finish Waxed

Recommended Glue Wakol D 3540




Free Shipping for 250 + SF



Place your order at: GreenBuildingSupply.com Search for "131122"

Visualize This On Your Wall - Tap Button On Website





Hawai White

131124

Species Cork

Design **Solid 1-Strip**

Dimensions 23.33" x 11.66" x 0.125"

Installation Glue with Roller or Trowel

> **Square Edge Joint**

Square Feet / Pack 21.31

> Finish Waxed

Recommended Glue **Wakol D 3540**




Free Shipping for 250 + SF




Place your order at: GreenBuildingSupply.com Search for "131124"

Visualize This On Your Wall - Tap Button On Website

See It In My Room



866.421.7168



Stone Art Pearl

131126

Species Cork

Design **Solid 1-Strip**

Dimensions 23.33" x 11.66" x 0.125"

Installation Glue with Roller or Trowel

> **Square Edge Joint**

Square Feet / Pack 21.31

> Finish Waxed

Recommended Glue **Wakol D 3540**




Free Shipping for 250 + SF



Place your order at: GreenBuildingSupply.com Search for "131126"

Visualize This On Your Wall - Tap Button On Website





Malta Moonlight

131125

Species Cork

Design Solid 1-Strip

Dimensions 23.33" x 11.66" x 0.125"

Installation Glue with Roller or Trowel

Joint Square Edge

Square Feet / Pack 21.31

Finish Waxed

Recommended Glue Wakol D 3540





Free Shipping for 250 + SF



Place your order at: GreenBuildingSupply.com Search for "131125"

Visualize This On Your Wall
- Tap Button On Website





Malta Chestnut

131127

Species Cork

Solid 1-Strip Design

Dimensions 23.33" x 11.66" x 0.125"

Installation Glue with Roller or Trowel

> **Square Edge Joint**

Square Feet / Pack 21.31

> Finish Waxed

Recommended Glue Wakol D 3540



Free Shipping for 250 + SF



Place your order at: GreenBuildingSupply.com Search for "131127"

Visualize This On Your Wall - Tap Button On Website



Accessories



Specs Price

\$89.00

Wakol D3540 Adhesive


Item # 133558

180 SF / Gallon


We recommend this pressure-sensitive adhesive for all of our cork wall tiles when installed over drywall, plywood or fully cured concrete. 1 gallon covers approximately 180 square feet using a 3/8" nap paint roller.

Tools Needed


- **Short Nap Roller**
- Rubber hammer
- Hand roller
- Tape measure
- Utility knife
- Pencil
- Straight edge
- Chalk line
- Cloth




Easy Installation




STEP 1: Find the center of the wall and mark vertical and horizontal lines with a chalk line.




STEP 2: Apply thin coat of adhesive evenly to the entire back of cork tiles. Allow to flash off for approx 60-90 min.




STEP 3: Stir adhesive well. apply to wall with roller or trowel and allow to dry approximately 30-45 min.



STEP 4: Install cork tiles in a "Brick-Bond" layout so each row is offset from the previous row.



STEP 5: Apply pressure with your hands, and then a rubber mallet or roller to ensure pressure is applied evenly.



STEP 6: Cut the last row to the correct size.

Please read entire installation instructions online here: GreenBuildingSupply.com/install-cork-wall-tile

866.421.7168



Why Cork Wall Tile?

Bring a sophisticated aesthetic to any room.

	Cork Wall Tile	Wallpaper
100% Unique		×
Easy to install		×
Natural thermal insulation		×
Natural sound reduction		×
Carbon negative footprint		×
Zero PVC and phthalates		×
Zero VOC's and carcinogens		×
Zero formaldehyde and isocyanates		×
Zero antimicrobials and flame retardants		×
Complies with highest standards: A+ French Air Quality, CE, TUV PROFI		×
Recommended for people with Chemical Sensitivities		×